








AMENDMENTS TO THE CLAIMS

1. (Original) A multilayer polyolefin film composed of at least three layers, comprising I) a) a core layer A functioning as base layer and composed of at least one amorphous polyolefin and b) on the two sides, outer layers B and C composed of a mixture composed of polypropylene and of at least one amorphous polyolefin, or II) a) a core layer A composed of a mixture of at least one semicrystalline polyolefin and 5.0% by weight or more of at least one amorphous polyolefin, and b) two outer layers B and C which are identical or different, composed of a semicrystalline polyolefin and/or of a mixture composed of polypropylene and of at least one amorphous polyolefin.
2. (Original) The film as claimed in claim 1, wherein the amorphous polyolefin is a cycloolefin copolymer and/or a cycloolefinic polymer.
3. (Currently amended) The film as claimed in claim 1 ~~or 2~~, wherein the amorphous polyolefin is a copolymer composed of ethylene and/or of an α -olefin and of a cyclic, bicyclic, or polycyclic olefin.
4. (Currently amended) The film as claimed in ~~one or more of claims 1 to 3~~ claim 1, wherein the amorphous polyolefin derives from at least one cyclic or polycyclic olefin of the following formulae I to VI






where R^1 , R^2 , R^3 , R^4 , R^5 , R^6 , R^7 , and R^8 are identical or different and are a hydrogen atom or a C_1 - C_{20} -hydrocarbon radical, such as a linear or branched C_1 - C_8 -alkyl radical, C_6 - C_{18} -aryl radical, or C_7 - C_{20} -alkylenearyl radical, or a cyclic or acyclic C_2 - C_{20} -alkenyl radical, or form a saturated, unsaturated, or aromatic ring, where identical radicals R^1 to R^8 have a different meaning in the various formulae I to VI, and where n assumes values from 0 to 5,


and

from 0 to 99.9% by weight, ~~preferably from 0.1 to 99.9% by weight~~, based on the total weight of the cycloolefin copolymer, of polymerized units which derive from one or more acyclic olefins of the formula VII



where R^9 , R^{10} , R^{11} , and R^{12} are identical or different and are a hydrogen atom, a linear, branched, saturated or unsaturated C_1 - C_{20} -hydrocarbon radical, such as a C_1 - C_8 -alkyl radical or a C_6 - C_{18} -aryl radical.

5. (Original) The film as claimed in claim 4, wherein the amorphous polyolefin is a cycloolefin copolymer which contains, based on its total weight, from 0 to 45% by weight of polymerized units which derive from one or more monocyclic olefins of the formula VIII



where m is a number from 2 to 10.

6. (Currently amended) The film as claimed in ~~one or more of claims 1 to 5~~ claim 1, wherein the amorphous polyolefin is a copolymer composed of ethylene and norbornene.

7. (Currently amended) The film as claimed in ~~one or more of claims 1 to 6~~ claim 1, wherein the proportion of amorphous polyolefin in a mixture composed of at least one semicrystalline polyolefin and of at least one amorphous polyolefin is ~~preferably~~ from 10 to 50% by weight, ~~in particular from 15 to 40% by weight.~~

8. (Currently amended) The film as claimed in ~~one or more of claims 1 to 7~~ claim 1, wherein the amorphous polyolefin has a glass transition temperature T_g in the range from 60 to 300°C , ~~preferably from 70 to 250°C , in particular from 80 to~~

~~200°C~~, the Vicat softening point T_v (VST/B/120) is in the range from 70 to 200°C, ~~preferably from 80 to 180°C~~, and the amorphous polyolefin has an average molecular weight M_w in the range from 1000 to 500 000, ~~preferably from 1500 to 250 000, in particular from 3000 to 150 000.~~

9. (Currently amended) The film as claimed in ~~one or more of claims 1 to 8~~ claim 1, wherein the thickness of the film is from 50 to 300 μm , ~~preferably from 75 to 250 μm~~ , and the thicknesses of the outer layers make up from 2.5 to 90% of the entire structure.

10. (Currently amended) The film as claimed in ~~one or more of claims 1 to 9~~ claim 1, wherein the semicrystalline polyolefin present comprises a polymer composed of ethylene or of α -olefins or comprises copolymers of these.

11. (Original) A process for producing a multilayer polyolefin film composed of at least three layers, comprising I) a) a core layer A functioning as base layer and composed of at least one amorphous polyolefin and b) on the two sides, outer layers B and C composed of a mixture composed of polypropylene and of at least one amorphous polyolefin, or II) a) a core layer A composed of a mixture of at least one semicrystalline polyolefin and 5.0% by weight or more of at least one amorphous polyolefin, and b) two outer layers B and C which are identical or different, composed of a semicrystalline polyolefin and/or of a mixture composed of polypropylene and of at least one amorphous polyolefin, which comprises melting the film-forming polymers and/or polymer mixtures in an extruder, then extruding the melt(s) through a flat-film die, drawing off the resultant film on one or more rolls, whereupon it cools and solidifies, or extruding the melt(s) emerging from the extruder via an annular die, whereupon the melt(s) emerging from the extruder is/are extruded through an annular die, whereupon the resultant film is processed in a blown-film system to give the film, collapsed by way of rolls, and drawn off.

12. (Original) The process as claimed in claim 11, wherein the film is, if appropriate, stretched and/or heat-set and/or surface-treated.

13-14 cancelled

15. (Original) Deep-thermoformed packaging or a pharmaceutical blister pack, produced from the multilayer polyolefin film as claimed in claim 1 ~~one or more of claims 1 to 10.~~

16. (Currently amended) A laminated article, encompassing a multilayer polyolefin film as claimed in ~~one or more of claims 1 to 10~~ claim 1 with paper and/or cardboard and/or with one or more metal foils, and/or with other films composed of thermoplastic.

17. (New) The process as claimed in claim 4, wherein 0.1 to 99.9% by weight, based on the total weight of the cycloolefin copolymer, of polymerized units is derived from one or more acyclic olefins of the formula VII.

18. (New) The film as claimed in claim 6, wherein the proportion of amorphous polyolefin in a mixture composed of at least one semicrystalline polyolefin and of at least one amorphous polyolefin is from 15 to 40% by weight.

19. (New) The film as claimed in claim 7, wherein the amorphous polyolefin has a glass transition temperature T_g in the range from 80 to 200°C, the Vicat softening point T_v (VST/B/120) is in the range from 80 to 180°C, and the amorphous polyolefin has an average molecular weight M_w in the range from 3,000 to 150,000.

20. (New) The film as claimed in claim 18, wherein the thickness of the film is from 75 to 250 μm , and the thicknesses of the outer layers make up from 2.5 to 90% of the entire structure.

21. (New) A thermoplastic packaging film which comprises the film as claimed in claim 1.

22. (Original) Pharmaceutical blister packs which comprises the film as claimed in claim 1.